




*Vehicle services  
Selection guide*



**REAL TOOLS FOR REAL WORK.™**

**NEW**

## Novelties

Cordless tools



**W5350** - Tool only  
**W5350 - K12-EU** - Kit 2.5Ah  
 1/2" ■ Cordless Right Angle Impactool

**W5330** - Tool only  
**W5330 - K12-EU** - Kit 2.5Ah  
 3/8" ■ Cordless Right Angle Impactool

- 20V – 245 Nm of maximum torque
- Variable speed switch with electronic brake provides maximum control of the tool
- No torque reaction in use



**W7150EU** - Tool only  
**W7150EU - K2** - Kit 3.0Ah  
**W7150EU - K22** - Kit 5.0Ah  
 1/2" ■ Cordless Impactool

- 20V – 1,057 Nm
- 1/2" square drive
- Reinforced composite housing
- Twin Cam hammer mechanism
- 1-hand forward and reverse switch



**LUB5130** - Tool only  
**LUB5130 - K12-EU** - Kit 2.5Ah  
 Cordless Grease Gun

- 20V
- Pressure 431 bar (6,250 psi)
- Flowrate 75 g/min
- Grease capacity 400 g
- 2 ways loading: bulk, cartridge and manual
- Flexible hose 762 mm

## Pneumatic tools

**2235QXPA**  
 1/2" ■ Air Impactool

- 1,220Nm of maximum torque in reverse and 1,760Nm of nut busting torque



## Batteries



**BL2012**  
 Battery 20V, 2.5Ah, Li-Ion



**BL2022**  
 Battery 20V, 5.0Ah, Li-Ion



**BC1121-EU**  
 Charger 12/20V Batteries

## Cordless IQ<sup>2</sup> 20

**NEW**

**W5150** - Tool only  
**W5150 - K22-EU** - Kit 5.0Ah  
 1/2" ■ Cordless Impactool

**W5130** - Tool only  
**W5130 - K22-EU** - Kit 5.0Ah  
 3/8" ■ Cordless Impactool

- 20V – 260 Nm
- Till 260Nm of maximum torque in reverse
- Steel-reinforced housings add strength for unmatched drop resistance
- Variable speed switch with electronic brake provides maximum control of the tool

**NEW**

**D5140** - Tool only  
**D5140 - K2-EU** - Kit 3.0Ah  
**D5140 - K22-EU** - Kit 5.0Ah  
 13 mm Cordless Drill/Driver

- 20V – 80 Nm
- 13 mm keyless chuck
- 2 speeds: 0 – 500 or 0 – 1,900 rpm
- 16-position clutch

**NEW**

**R3150** - Tool only  
**R3150 - K12-EU**  
 - Kit 2.5Ah\* 1 battery  
 1/2" ■ Cordless Ratchet

**R3130** - Tool only  
**R3130 - K12-EU**  
 - Kit 2.5Ah\* 1 battery  
 3/8" ■ Cordless Ratchet

- 20V
- Reinforced composite housing
- 73 Nm of maximum torque
- 0 – 225 rpm free speed
- Variable-speed trigger allows easy starts and precise speed control

**NEW**

**W5111 - K22-EU**  
 - Kit 5.0Ah  
 1/4" ● Cordless Impact driver

- 20V – 240 Nm
- 1/4" hexagon socket tool holder

## Air Ratchets



**105-D3** - 3/8" ■  
**105-D2** - 1/4" ■

- 34 Nm – 250 rpm
- Only 0.64 kg and 186 mm
- Variable speed lever



**1105MAX-D3** - 3/8" ■  
**1105MAX-D2** - 1/4" ■

- 41 Nm – 300 rpm
- Only 0.65 kg and 187 mm
- Composite housing
- Power regulator



**1207MAX-D4** - 1/2" ■  
**1207MAX-D3** - 3/8" ■

- 88 Nm – 200 rpm
- Composite housing
- Power regulator
- 360° adjustable exhaust



**1077XPA** - 1/2" ■  
**107XPA** - 3/8" ■

- 73 Nm – 160 rpm
- 1/2" square drive
- 360° adjustable exhaust
- Variable speed lever



## 1/2" Air Impacttools™

### 2235QTiMAX 1/2" ■ ring-type

- 1,220Nm of maximum torque in reverse and 1,760 Nm of nut busting torque
- titanium hammercase
- two-year warranty



### 2130XP-TL 1/2" ■ ring-type/ torque-limited 2130XP 1/2" ■ ring-type

- 816 Nm (600 ft-lb) maximum torque in reserve
- Twin-Hammer mechanism
- Composite housing



### 2235QXPA 1/2" ■ Air Impactool

- 1,220 Nm of maximum torque in reverse and 1,760 Nm of nut busting torque



### 2135QXPA 1/2" ■ ring-type

- Only 1.8 kg
- Composite housing
- 1-hand forward and reverse switch
- 4-position power regulator



### 236 1/2" ■ ring-type

- 610 Nm
- Jumbo-Hammer mechanism
- 2-position power regulator



### 231GXP 1/2" ■ ring-type

- 610 Nm
- Twin-Hammer mechanism
- 5-position power regulator



## Mini Impacttools™

### 2125QTiMAX 1/2" ■ ring-type 2115QTiMAX 3/8" ■ ring type

- 450 Nm (2125QTiMAX)
- Only 1.14 kg and 155 mm
- Twin-Hammer mechanism
- Titanium-Composite Construction
- 1-hand forward and reverse switch
- 4-position power regulator



### 2125XP 1/2" ■ ring-type 2115XP 3/8" ■ ring-type

- Only 1.14 kg and 155 mm
- Twin-Hammer mechanism
- Composite housing
- 1-hand forward and reverse switch
- 4-position power regulator



### 2101XP-QC 1/4" ●

- 61 Nm
- 1/4" hexagon socket tool holder
- Only 0.62 kg and 159 mm
- Composite housing
- 1-hand forward and reverse switch



## 3/4" Air Impacttools™

### 259 3/4" ■ short anvil

- 1 424 Nm
- Only 4.0 kg and 218 mm
- Swinging-Hammer mechanism
- Power regulator



### 2145QiMAX - 3/4" ■ square drive 2155QiMAX - 1" ■ square drive

- 1,830 Nm – 3.35 kg
- Twin-Hammer mechanism
- Composite housing
- 1-hand forward and reverse switch
- 4-position power regulator



## 1" Air Impacttools™

### 285B 1" ■ short anvil 285B-6 1" ■ long anvil 150 mm

- 2,400 Nm
- 1,356 Nm in less than 2 seconds
- Swinging-Hammer mechanism
- Designed to operate at up to 8.3 bar
- 3-position power regulator



### 295A 1" ■ short anvil 295A-6 1" ■ long anvil 150 mm

- 2,400 Nm
- 1,356 Nm in less than 2 seconds
- Swinging-Hammer mechanism
- Designed to operate at up to 8.3 bar
- 3-position power regulator



## Right Angle Impacttools™

### 2025MAX - 1/2" ■ 2015MAX - 3/8" ■

- Max torque 244 Nm
- Only 1.54 kg
- Jumbo-hammer impact mechanism
- Composite housing

- Sensitive trigger, 2-position power
- Regulator for perfect power control
- its 50 mm height allows for easy access to tight spots



## Accessories



### SK4M14 1/2" socket set (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23 and 24 mm)



### SK4M3L 1/2" socket set Contains 3 deep insulated, thin wall sockets (17, 19 and 21 mm)



### SK6M6L 3/4" socket set Contains 4 deep sockets (24, 27, 30, 32, 33 and 36 mm)

### 115-LBK1 for Impacttools with composite handle

- Lubricant Kits
- Contains: grease 80 g, oil 0.12 L and grease pump



## Air Wheel Grinders

### 345MAX-M

Ø 125 mm

### 3445MAX-M

Ø 115 mm



- 0.66 kW (0.88 HP)
- 12,000 rpm
- Speed governor
- Composite housing
- Piped-away exhaust system

### LA422-EU

Ø 125 mm



- 125 mm disc diameter
- 0.50 kW
- 12,000 rpm

## Air Die Grinders

**5108MAX** - Straight grinder

**5102MAX** - Angle grinder



- 0.30 kW
- 20,000 rpm (5102MAX) or 25,000 rpm (5108MAX)
- Composite housing
- Supplied with 1/4" and 6 mm collets

**LA429-EU** - Straight

Air Die Grinder Kit



- 0.42 kW
- 22,000 rpm
- Includes: 3 mm and 6 mm collets and 10 shank-mounted stones

## Air Sanders & Polishers



**4151-HL** - Ø 150 mm, orbit 5 mm  
**4151-HL-2** - Ø 150 mm, orbit 2.5 mm  
**4152-HL** - Ø 150 mm, orbit 2.5 mm  
**4152-HL-SR** - Ø 75 mm, orbit 2.5 mm

- 0.15 kW
- 12,000 rpm
- Power regulator
- Only 0.86 kg
- Composite housing

### 317A

- 18,000 rpm, 0.35 kW motor
- Easy to handle, compact, and lightweight
- Built-in power regulator



**8201MAX** - Ø 150 mm, orbit 2.5 mm  
**8202MAX** - Ø 150 mm, orbit 5.0 mm  
**8203MAX** - Ø 150 mm, orbit 10.0 mm

- Up to 11,500 rpm
- 2.5, 5, 10 mm orbit diameter
- 0.2 kW
- Low vibration
- Hook & loop backing pad

NEW

## Air Drills

**7802A** - Standard chuck

**7802AKC** - Keyless chuck

**7802RA** - Standard chuck, reversible

**7802RAKC** - Keyless chuck, reversible



- Chuck: 10 mm
- 0.38 kW
- 2,000 rpm

**7803A** - Standard chuck

**7803AKC** - Keyless chuck

**7803RA** - Standard chuck, reversible

**7803RAKC** - Keyless chuck, reversible



- Chuck: 13 mm
- 0.38 kW
- 500 rpm

## Air Riveter

**LA437-EU** - Air Riveter

- For 2.4 mm to 4.75 mm aluminium rivets
- Stroke: 16 mm



## Air Hammers

**122MAXHK** - Hexagonal shank

- Stroke: 67 mm
- 3,500 strikes per minute
- Vibration-reducing technology
- Quick change chuck
- Hexagonal shank
- Provided with 5 chisels



## Air Saws

**529** - Vibration-reduced Reciprocating Saw

- 10 mm stroke
- 9,500 strokes per minute
- Vibration-reducing technology



**P4FS-6**

blades, 12 teeth/cm (6 pieces).

**P4CS-6**

blades, 10 teeth/cm (6 pieces).



**LA418A-EU** - Windscreen Cutter

- Stroke: 16 mm
- 8,000 strokes per minute



## Air Tyre Buffers

**327LS**

- 0.38 kW
- 3 000 rpm
- Only 0.50 kg
- Piped-away exhaust system



22,000 rpm

**327-EU**

Accessories:  
**327LS-K284**  
 piped-away exhaust system

- Standard chuck: 10 mm
- 0.38 kW
- Only 0.73 kg





Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a \$12 billion global business committed to a world of sustainable progress and enduring results.



[www.ingersollrandproducts.com](http://www.ingersollrandproducts.com)

Distributed by:

**NOSOLOHERRAMIENTAS**

Ingersoll Rand, IR, the IR logo, IQv20 Series, IQv12 Series, Impactool and Inline are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates. All other trademarks are the property of their respective owners.

Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request.

Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation.